

**SYSTEM AND METHOD FOR CLEANSING ADDRESSES FOR  
ELECTRONIC MESSAGES**

**FIELD OF THE INVENTION**

- 5           The present invention relates to a system and method for forwarding electronic messages, and more particularly, relates to cleansing the addresses for e-mail messages that were previously returned to the sender as undeliverable.

**BACKGROUND OF THE INVENTION**

- 10           Recent advances in telecommunications networks have drastically altered the manner in which people interact and conduct business. These advances promote efficiency and convenience in one's ability to receive important information. With this in mind, individuals and businesses today find that their physical and electronic addresses are changing faster than ever with increased mobility and competing message delivery  
15           services. Deregulation and privatization of the global postal systems, competing package delivery services, and rapid growth of multiple competing electronic mail (e-mail) systems are creating an environment in which there is no single point of contact for address correction as there was when the sole messaging provider was the national postal service.

- 20           Users who enjoy the benefit of sending and receiving e-mail messages typically subscribe to an Internet Service Provider (ISP) offering such e-mail capabilities (e.g., America Online (AOL), Netcom, and Redconnect) and/or may subscribe to an internet based e-mail service (e.g., juno, rocketmail, yahoo) which each is associated with a particular e-mail address. Thus, the e-mail address is unique to the e-mail service  
25           provider. The uniqueness of an address to a selected provider is often apparent on the face of the address, e.g., DQuine@aol.com, Quine@juno.com or DouglasQuine@yahoo.com. A user or subscriber to a particular e-mail service may from time to time desire or need to change service providers (e.g., from DQuine@aol.com to QuineDo@pb.com). Exemplary motivation for these changes may derive from the fact

that an alternative service provider charges lower rates, or the existing provider's inability to upgrade its service.

5 A user who desires to change from one e-mail service provider to another suddenly faces the reality of being bound to the old service provider because the user's address is unique to that one provider. A sudden and complete changeover is in many circumstances impossible because the community of people who wish to send electronic messages to the user are only aware that the old address exists. For example, an e-mail address may be published in an industry directory that is only published once every year or two years. Alternatively, the e-mail address may be printed on a business card which  
10 cannot be retracted and corrected. Thus, the user incurs a potentially significant loss of prospective business by abandoning the old address.

Currently, there is no effective means in place for address correction of e-mail addresses. Even if the e-mail sender is highly diligent, there are no resources or processes available to identify corrected electronic address information. The problem is  
15 further accentuated by the fact that extreme competition in internet service providers, and likewise e-mail service providers, results in extremely high obsolescence of e-mail addresses with no means for e-mail forwarding (e.g., closing an AOL e-mail account provides no option for forwarding e-mail intended for that account to a new e-mail address).

Further, today's web savvy users may have multiple e-mail addresses which  
20 periodically change as new features develop or are lost. Entire domain names can be lost (e.g., lostdomain.com) and all mail directed there may be lost as well. In either case, typically the MAIL DAEMON message is returned to the sender, notifying the sender that the e-mail address cannot be found and e-mail message is being returned to the sender.

25 Some service providers offer their user-subscribers the option of a message forwarding service. These forwarding services operate by receiving the incoming message, retrieving the portion of the incoming message that identifies a selected user who subscribes to the forwarding service, associating the selected user with a forwarding address through the use of a lookup table, and transmitting the message to the forwarding

address. The forwarding services differ from the normal message delivery service that the central service provider offers because a portion of the forwarding address belongs to another central service provider. Thus, the forwarded message is actually delivered to its intended recipient by the other or second service provider, i.e., the forwarded message passes through two central service providers, as opposed to just one provider. The intended message recipient is free to change the second provider with regularity provided that the recipient always informs the forwarding service of each change in the second provider. However, this message forwarding system only works with viable e-mail address, that is, the e-mail address associated with the first service provider must still be active and not obsolete. In fact, few e-mail services offer forwarding services and few, if any, offer to forward e-mail after the account is closed. Otherwise, the first service provider is only enabled to send the later mentioned MAIL DAEMON message back to the original sender of the -e-mail message.

#### SUMMARY OF THE INVENTION

A method for correcting an e-mail message that has been determined as being undeliverable via a remote e-mail correcting computer having a unique e-mail address including the steps of prescribing at least one domain name address in the remote e-mail computer by a subscriber and prescribing at least one format for formatting e-mail addresses intended to be sent to the at least one domain name address. A ser then sends to the remote computer an e-mail message addressed to an intended e-mail address that was determined undeliverable. The remote computer receives this e-mail message from the senders computer that was addressed to an intended e-mail address. The intended e-mail address is parsed from the e-mail message in the remote computer to determine if the domain name address of the e-mail message has been prescribed with the remote computer. And, if yes, a message is sent to the senders computer indicating the prescribed at least one format for the parsed domain name address if the parsed domain name address has been prescribed with the remote computer.

### DETAILED DESCRIPTION OF THE DRAWINGS

The above and other objects and advantages of the present invention will become more readily apparent upon consideration of the following detailed description, taken in conjunction with accompanying drawings, in which like reference characters refer to like parts throughout the drawings and in which:

Fig. 1 depicts an electronic e-mail messaging system embodying the present invention;

Figs. 2 and 3 depict flowcharts depicting the operation of the present invention;

Fig. 4 depicts a look-up table used by the present invention;

Figs. 5A and 5B depict e-mail messages illustrating the operability of the e-mail messaging system of Fig. 1;

Fig. 6 depicts an electronic e-mail messaging system embodying another embodiment of the present invention; and

Figs. 7a and 7b depict the method of operation for e-mail messaging system of Fig. 6.

### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

FIG. 1 schematically depicts a conventional INTERNET telecommunications system 10. The FIG. 1 system is exemplary in nature. The present invention can be implemented as program control features on substantially all telecommunications service provider systems, and system 10 is intended to represent any operable telecommunications system that is used by any telecommunications service provider in conducting communication operations (e.g., facsimile, pager, mobile phone and PDA computers).

It is to be appreciated that the term "INTERNET" is well known in the art as designating a specific global international computer network that operates according to the TCP-IP protocol. A portion of the INTERNET receives or has in the past received funding from various United States governmental agencies including ARPA, NSF, NASA, and DOE. INTERNET communications protocols are promulgated by the

Internet Engineering Task Force, according to standards that are currently set forth in RFC 1602.

Telecommunications system 10 includes a plurality of user or signal origination sites 12, 14 and 16, with each site being depicted in reference to a PC capable of generating and transmitting e-mail messages, wherein each site 12, 14 and 16 corresponds to a specific telecommunications address. A user may utilize one site or a plurality of sites. A single city or local service area may have millions of these signal origination sites. Each site 12, 14 and 16 corresponds to a telecommunication address that belongs to an individual, business, and other entity having need to avail themselves of telecommunications services.

It is to be understood that preferably each origination site 12, 14 and 16 feeds its signal (addressed to a subscriber identified at a selected service provider) to an internet service provider 18 (ISP), which in turn preferably feeds the signal to a local router node 20 that directs the local signal to a relay system, e.g., the INTERNET cloud 22, which transmits the signal to a router 24 through a series of relays. The signal eventually arrives at an internet service provider 26 through router 24.

As can be seen in Fig. 1, a plurality of destination sites 28, 30, 32, 38, 40 and 42 are shown connected to internet service providers 26 and 36 with each site being depicted in reference to a PC capable of generating and transmitting e-mail messages, wherein each site corresponds to a specific telecommunications address. It is of course to be appreciated that telecommunications system 10 includes a plurality of routers (e.g., routers 24 and 34 with each internet service provider being connected to a plurality of user sites (e.g., PC's 38, 40 and 42).

In accordance with the present invention, telecommunications system 10 additionally includes a messaging forwarding system 44, which as will be further discussed below, enables e-mail messages to be automatically forwarded to a forwarding address, which forwarding address is associated with a currently undeliverable e-mail address. Messaging forwarding system 44 preferably includes a PC 46 connected to an internet service provider 48, which PC 46 is provided with a unique e-mail address

(corrections@emailangel.com) and software programmed to perform the below described steps necessary to operate the present invention e-mail forwarding system 44. Internet service provider 48 is preferably connected to INTERNET 22 via router 50.

As shown in Fig. 4, system 44 includes a software program that includes a look-up table 50, which is programmable by users to provide an e-mail forwarding address 52 associated with pre-programmed defunct (undeliverable) e-mail address[es] 54. It is to be appreciated that users of the present invention e-mail forwarding system 44 may access and program the look-up table 50 of system 44 through any conventional known means, including via the internet 22 in which a user at PC site 28 accesses the look-up table 50 in system 44, via the internet 22, via routers 24 and 50, and internet service providers 26 and 48. Look-up table 50 may include a plurality of defunct subscriber addresses (54+N), with each defunct address being associated with one or more forwarding addresses (52+M)

It is to be appreciated that in this description of the present invention system 44, mention is made to both a "user" and "subscriber" of system 44. It is to be understood that a "user" of system 44 refers to anyone who is capable of transmitting an e-mail message and accesses system 44 when it is desired to forward the message to a forwarding address, which forwarding address the sender is unaware of. A "subscriber" of system 44 refers to anyone who subscribes to the e-mail forwarding service of system 44 in which the subscriber registers both a defunct e-mail address 54 and at least one e-mail forwarding address 52 with system 44. And of course e-mail forwarding system 44 is accessible by any user.

In illustration, if a subscriber of system 44 closes an e-mail account (e.g., user@oldaccount.com) for what ever reason, the subscriber may however still desire to continue to receive messages sent to that address (e.g., user@oldaccount.com), but now wants to receive those messages at a different account (e.g., subscriber@newaccount.com). In the prior art, to accomplish this the subscriber had to resort to informing everyone who had the old e-mail address (e.g., user@oldaccount.com) of the new e-mail address (e.g., subscriber@newaccount.com). In accordance with the

present invention, the subscriber now merely accesses the subscriber's designated account in system 44, via any known means such as the internet, registers the defunct e-mail address (e.g., user@oldaccount.com) and associates it with a desired forwarding e-mail address (e.g., subscriber@newaccount.com). Thus when a sender of an e-mail  
5 desires to transmit a message to a subscriber of system 44 but only knows the subscriber's old e-mail address (e.g., user@oldaccount.com), which account is no longer active, the user now merely looks to system 44 to forward the message to an active account (e.g., subscriber@newaccount.com), as will be discussed further below.

As indicated above, FIG. 1 is exemplary in nature, and those skilled in the art  
10 understand that equivalent substitutions of system components can be made. For example, electrical communications over conductive telephone lines, optical communications over optical fibers, radio communications, and microwave communications are substantially equivalent for purposes of the invention. Likewise, messages could be relayed through e-mail, facsimile, pager, PDA device or other capable  
15 communications system.

The method of use of system 44 will now be described with reference to Figs. 2, 3 and 5 in conjunction with Fig. 1. Referring now to Fig. 2, when an email sender 14 desires to transmit a message to a recipient 30 having a known e-mail address (e.g., quine@luv-npi.com) of the recipient, the sender 14 transmits the e-mail message 500  
20 (Fig. 5a) through conventional e-mail protocol, whereby the message is delivered to the identified mail server 26 (e.g., luv-npi.com) of the recipient 30, via the senders ISP server 18 (step 100). The recipient's 30 mail server 26 then receives the e-mail message (step 102), and if the e-mail account is valid (e.g., quine@luv-npi.com) (step 104), the e-mail message is then accessible to the view and thus considered delivered (step 106). If the  
25 account is not a valid account (e.g., quine@luv-npi.com) then the identified e-mail server 26 (e.g., luv-npi.com) rejects the request (step 108) and sends a MAIL-DAEMON message 510 (Fig. 5b) to the sender's 14 e-mail server 18 indicating that the message is not deliverable (step 110). The sender's e-mail server 18 then sends a message to the sender 14 that the attached e-mail message is undeliverable.

Since the sender 14 cannot contact the recipient (e.g., quine) via the now defunct e-mail address 54 (e.g., quine @luv-npi.com), the sender 14 is presented with the problem of how to contact the recipient. In order to overcome this problem, the present invention e-mail forwarding system 44 provides a solution by forwarding the e-mail message to a new address so long as the recipient 30 (e.g., quine) subscribes to the forwarding service of the system 44. In the current illustrative example, the recipient (e.g., quine) registers the defunct e-mail address 54 (e.g., quine @luv-npi.com) with the system 44 and instructs the system to forward all messages to a specified forwarding e-mail address 52 (e.g., quine@docsense.com), as depicted in the look-up table of Fig. 4.

Returning now to the sender's 14 situation in which the sender 14 still desires to transmit the e-mail message 500 but does not know the correct e-mail address. In accordance with the present invention, the sender 14 now forwards the entire message 510 that was previously sent to the intended recipient's defunct e-mail address (e.g., quine@luv-npi.com), and rejected, to the e-mail address (e.g., corrections@emailangel.com) assigned to the e-mail forwarding system 44 (step 200). The e-mail server 48 (e.g., emailangel.com) that received the message then informs the forwarding system 44 of the receipt of this message and afterwards the forwarding system 44 receives the message from the e-mail server 48 (step 202). The forwarding system 44 then parses message 510 and extracts the intended address for the recipient (e.g., quine@luv-npi.com) from the message (step 204). The forwarding service 44 then does a look-up in table 50 for the intended address (e.g., quine@luv-npi.com) to determine if this address has been registered by a subscriber in the forwarding system 44 (step 206). If no, system 44 sends an e-mail message back to the sender 14 informing the sender 14 that the defunct address of the recipient 30 (e.g., quine@luv-npi.com) is not registered with the forwarding system 44 (step 208). If yes, forwarding system 44, sends the e-mail message 510 addressed to the recipients defunct address 54 (e.g., quine@luv-npi.com) to the recipient subscriber's new e-mail address 52 (e.g., quine@docsense.com) as prescribed in the look-up table 50 of the forwarding system 44. Preferably, forwarding



system 44 then sends an e-mail to the sender 14 indicating that the message original addressed to a defunct e-mail address has now been properly forwarded.

Thus, a clear advantage of the present invention e-mail forwarding system 44 is that a sender merely forward a rejected e-mail message to the e-mail address (e.g., corrections@emailangel.com) associated with the forwarding system 44 to determine if the previously rejected message can be forwarded to a proper e-mail address. And if it can, the forwarding system automatically forwards the message to an e-mail address as prescribed by the recipient. Thus, a user of system merely has to forward a rejected e-mail message to forwarding system 44 to utilize its forwarding services. Therefore, no internet access is required, only access to an e-mail server is required which is quite advantageous since many e-mail users only have access to an e-mail server and not an internet server, such as staff employees in corporations and home users who utilize free, or inexpensive e-mail services. Furthermore, in contrast to directory services, the system design preserves recipient privacy by not providing the new e-mail address to the sender.

With reference now to fig. 6, another embodiment of the present invention is depicted wherein there is shown messaging system 600 having the capabilities and operational features of the above-described messaging forwarding system 44 of Figs 1-5 but with the added capabilities of being able to correct or suggest a correct e-mail address. An example being the situation when a sender wants to send an e-mail to Doug Quine, and the senders knows that Doug Quine works at Pitney Bowes and that he has an e-mail address at Pitney Bowes but does not know the precise e-mail address but nevertheless wants to send an e-mail to Doug Quine at Pitney Bowes. Thus the sender then goes ahead and transmits an e-mail to Doug Quine using an educated guess that Doug Quine's e-mail address is Doug.Quine@pb.com (when it actually is quinedo@pb.com). In one embodiment described below, when the sender transmits the e-mail to Doug.Quine@pb.com, the messaging forwarding system 600 is able to suggest sending the e-mail to quinedo@pb.com.

Preferably, the messaging system 600 operates within an enterprise (e.g., having a single computer or within an intranet) or may operate in the public domain where non-

affiliated users may utilize the information to improve address hygiene with the result being that digital document delivery success is enhanced. In essence, and as described in further detail below, the present invention enables the successful delivery of an e-mail to a person without knowing the person knowing the complete r correct e-mail address. In a  
5 first embodiment for messaging system 600 and illustrated in Fig. 6, messaging system 600 is to be understood to operate in the public domain with that of system 44 shown in Fig. 1.

In reference to Figs. 7a and 7b, its method of operation will now be described. First, when an email sender 12 desires to transmit a message to a recipient 40 having  
10 either what is thought as a known e-mail address, or an educated guess of the recipient's e-mail address (e.g., Douglas.Quine@pb.com) as described above, the sender 12 nevertheless transmits the e-mail message through conventional e-mail protocol, whereby the message is delivered to the identified domain name mail server 36 (e.g., pb.com) specified in the recipient's e-mail address (e.g., Douglas.quine@pb.com), via the senders  
15 ISP server 18 (step 600). The specified domain name mail server 36 then receives the e-mail message (step 602), and if the e-mail account is not recognized by the domain name mail server 36 (e.g., Douglas.qine@pb.com) (step 604), then the specified domain name mail server 36 rejects the request and sends an undeliverable message (e.g., a MAIL-DAEMON message) back to the sender 12, via the sender's e-mail server 18 indicating  
20 that the message is not deliverable (step 610). As described above, the sender's e-mail server 18 then sends the message to the sender 12 that the attached e-mail message is undeliverable.

With continuing reference to Fig. 7a, since the sender 12 was unsuccessful in delivering the e-mail message to the recipient, the sender then forwards the e-mail  
25 message to the messaging forwarding system 600 of the present invention (step 620). The messaging forwarding system 600 then receives the forwarded e-mail message (step 622), and as described above, determines if a forwarding address has been registered for the undeliverable forwarded e-mail message (step 624). If yes, the above described process of step 210 is then performed. If no, a determination is then made as to whether

the domain name address (e.g., pb.com) of the undeliverable e-mail address (e.g. Douglas.quine@pb.com) has been registered with the messaging forwarding system 600 (step 626). If no, then messaging system 600 then preferably sends a message back to the sender that it is unable to provide a forwarding e-mail address for the undeliverable e-mail address (step 628 ).

If yes, and with reference now to Fig. 7b, a determination is made as to whether an analysis to determine a "closet match" is to be performed (step 650). As will be described further below, this "closet match" determination is essentially the performance of an analysis to find the closet match to the username (e.g., douglas.quine) of the undeliverable e-mail in comparison to those usernames that are pre-registered with the messaging system 600 in association with the subject domain name address (e.g., pb.com). Preferably, and as further described below, when the administrator of the mail server 36 opens an account with the present invention messaging system 600, the administrator decides whether to list all current usernames associated with the subject domain name address (e.g. pb.com) so as to enable the performance of the closet match determination. If no "closest match" determination is to be performed (e.g., either the administrator of the subject domain name address has decided not to list all associated usernames, or has decided not to enable this feature in the messaging system) then the messaging system 600 preferably transmits an e-mail message back to the sender indicating the format for usernames followed for that domain name address (e.g., pb.com) (step 652). An example of such a message is:

THERE IS NO KNOWN E-MAIL ADDRESS FOR  
DOUGLAS.QUINE@PB.COM - HOWEVER, THE  
FORMAT FOR USERNAMES RESIDING AT PB.COM  
IS TO USE THE FIRST SIX CHARATERS OF THE  
LAST NAME FOLLOWED IMMEDIATLEY BY THE  
FIRST TWO CHARACTERS OF THE FIRST NAME -  
FOR EXAMPLE: MR. TOM WATSONER WOULD BE  
WASTONTO@PB.COM AND MS. ADELE ZON  
WOULD BE ZONAD@PB.COM - TRY TO REFORMAT  
YOUR USERNAME IN ACCORDANCE WITH THIS

FORMAT AND RE-TRANSMIT YOUR E-MAIL  
MESSAGE – GOOD LUCK.

5           If yes, that is an analysis is to be performed for the undeliverable e-mail address (e.g., Douglas.quine@pb.com), then an analysis of the username portion (e.g., Douglas.quine) of the undeliverable e-mail address (e.g., Douglas.quine@pb.com) is performed to determine a closet match (based upon prescribed criteria) to a username(s) from all the usernames  
10 registered with the messaging system 300 that are associated with the domain name (e.g., pb.com) of the undeliverable e-mail address (step 654). A determination is then made as to whether a closest match(es) has been made (step 656). If, no then the process goes to the above described step 652. If yes, then a message is sent to the sender 12 indicating the  
15 closest match(es) that have been determined (step 658). An example of such a message is:

20           IT HAS BEEN DETERMINED THAT THE  
CLOSEST MATCH FOR  
DOUGLAS.QUINE@PB.COM IS  
QUINEDO@PB.COM. IT IS SUGGESTED  
THAT THE E-MAIL MESSAGE BE RE-SENT TO  
THIS E-MAIL ADDRESS.

25           When the sender 12 receives this e-mail message suggested the closest match alternative e-mail address (e.g., quinedo@pb.com) (step 660) the sender may then retransmit the once undeliverable e-mail message to the closest match e-mail address (step 662).

30           In summary, an e-mail forwarding system having a dedicated e-mail address for automatically forwarding e-mail has been described. Although the present invention has been described with emphasis on particular embodiments, it should be understood that the figures are for illustration of the exemplary embodiment of the invention and should

1941  
 1942  
 1943  
 1944  
 1945  
 1946  
 1947  
 1948  
 1949  
 1950  
 1951  
 1952  
 1953  
 1954  
 1955  
 1956  
 1957  
 1958  
 1959  
 1960  
 1961  
 1962  
 1963  
 1964  
 1965  
 1966  
 1967  
 1968  
 1969  
 1970  
 1971  
 1972  
 1973  
 1974  
 1975  
 1976  
 1977  
 1978  
 1979  
 1980  
 1981  
 1982  
 1983  
 1984  
 1985  
 1986  
 1987  
 1988  
 1989  
 1990  
 1991  
 1992  
 1993  
 1994  
 1995  
 1996  
 1997  
 1998  
 1999  
 2000  
 2001  
 2002  
 2003  
 2004  
 2005  
 2006  
 2007  
 2008  
 2009  
 2010  
 2011  
 2012  
 2013  
 2014  
 2015  
 2016  
 2017  
 2018  
 2019  
 2020  
 2021  
 2022  
 2023  
 2024  
 2025  
 2026  
 2027  
 2028  
 2029  
 2030  
 2031  
 2032  
 2033  
 2034  
 2035  
 2036  
 2037  
 2038  
 2039  
 2040  
 2041  
 2042  
 2043  
 2044  
 2045  
 2046  
 2047  
 2048  
 2049  
 2050  
 2051  
 2052  
 2053  
 2054  
 2055  
 2056  
 2057  
 2058  
 2059  
 2060  
 2061  
 2062  
 2063  
 2064  
 2065  
 2066  
 2067  
 2068  
 2069  
 2070  
 2071  
 2072  
 2073  
 2074  
 2075  
 2076  
 2077  
 2078  
 2079  
 2080  
 2081  
 2082  
 2083  
 2084  
 2085  
 2086  
 2087  
 2088  
 2089  
 2090  
 2091  
 2092  
 2093  
 2094  
 2095  
 2096  
 2097  
 2098  
 2099  
 2100  
 2101  
 2102  
 2103  
 2104  
 2105  
 2106  
 2107  
 2108  
 2109  
 2110  
 2111  
 2112  
 2113  
 2114  
 2115  
 2116  
 2117  
 2118  
 2119  
 2120  
 2121  
 2122  
 2123  
 2124  
 2125  
 2126  
 2127  
 2128  
 2129  
 2130  
 2131  
 2132  
 2133  
 2134  
 2135  
 2136  
 2137  
 2138  
 2139  
 2140  
 2141  
 2142  
 2143  
 2144  
 2145  
 2146  
 2147  
 2148  
 2149  
 2150  
 2151  
 2152  
 2153  
 2154  
 2155  
 2156  
 2157  
 2158  
 2159  
 2160  
 2161  
 2162  
 2163  
 2164  
 2165  
 2166  
 2167  
 2168  
 2169  
 2170  
 2171  
 2172  
 2173  
 2174  
 2175  
 2176  
 2177  
 2178  
 2179  
 2180  
 2181  
 2182  
 2183  
 2184  
 2185  
 2186  
 2187  
 2188  
 2189  
 2190  
 2191  
 2192  
 2193  
 2194  
 2195  
 2196  
 2197  
 2198  
 2199  
 2200  
 2201  
 2202  
 2203  
 2204  
 2205  
 2206  
 2207  
 2208  
 2209  
 2210  
 2211  
 2212  
 2213  
 2214  
 2215  
 2216  
 2217  
 2218  
 2219  
 2220  
 2221  
 2222  
 2223  
 2224  
 2225  
 2226  
 2227  
 2228  
 2229  
 2230  
 2231  
 2232  
 2233  
 2234  
 2235  
 2236  
 2237  
 2238  
 2239  
 2240  
 2241  
 2242  
 2243  
 2244  
 2245  
 2246  
 2247  
 2248  
 2249  
 2250  
 2251  
 2252  
 2253  
 2254  
 2255  
 2256  
 2257  
 2258  
 2259  
 2260  
 2261  
 2262  
 2263  
 2264  
 2265  
 2266  
 2267  
 2268  
 2269  
 2270  
 2271  
 2272  
 2273  
 2274  
 2275  
 2276  
 2277  
 2278  
 2279  
 2280  
 2281  
 2282  
 2283  
 2284  
 2285  
 2286  
 2287  
 2288  
 2289  
 2290  
 2291  
 2292  
 2293  
 2294  
 2295  
 2296  
 2297  
 2298  
 2299  
 2300  
 2301  
 2302  
 2303  
 2304  
 2305  
 2306  
 2307  
 2308  
 2309  
 2310  
 2311  
 2312  
 2313  
 2314  
 2315  
 2316  
 2317  
 2318  
 2319  
 2320  
 2321  
 2322  
 2323  
 2324  
 2325  
 2326  
 2327  
 2328  
 2329  
 2330  
 2331  
 2332  
 2333  
 2334  
 2335  
 2336  
 2337  
 2338  
 2339  
 2340  
 2341  
 2342  
 2343  
 2344  
 2345  
 2346  
 2347  
 2348  
 2349  
 2350  
 2351  
 2352  
 2353  
 2354  
 2355  
 2356  
 2357  
 2358  
 2359  
 2360  
 2361  
 2362  
 2363  
 2364  
 2365  
 2366  
 2367  
 2368  
 2369  
 2370  
 2371  
 2372  
 2373  
 2374  
 2375  
 2376  
 2377  
 2378  
 2379  
 2380  
 2381  
 2382  
 2383  
 2384  
 2385  
 2386  
 2387  
 2388  
 2389  
 2390  
 2391  
 2392  
 2393  
 2394  
 2395